Michigan Collaborative Standardization of Compounded Oral Liquids

Drug name: Aprepitant Dosage Form: Suspension

Concentration: 20 mg/ml **Shelf Life:** 90 days

Route: Oral Storage: Refrigerate

Volume: 50 ml **Auxiliary Labeling:** Shake Well

Ingredients	QS	Quantity	Units
Aprepitant 125 mg capsules		8	capsules
Ora-Blend or substitute Ora-Plus/Ora-Sweet	Υ	50	mLs

Directions:

- 1. Empty contents of capsules in a mortar and pestle and triturate to a fine powder.
- 2. Add a minimal amount of vehicle and mix well to form a viscous, but smooth and uniform paste.
- 3. Continue adding vehicle in geometric portions, mixing well.
- 4. Transfer to graduate.
- 5. Rinse mortar with vehicle, adding rinse to graduate.
- 6. QS to final volume with vehicle. Stir well.

Notes:

References:

Dupis LL, Ligertat-Walsh K, Walker SE. Support Care Cancer. 2009; 6(17): 701-6.

Reviewed: April 2013; SC\JR

The information provided on this site is only to be used for educational and informational purposes only. It may not be relied upon to direct or provide care to a patient, or to prepare treatments for a patient. This material is not intended as a substitute for retaining and consulting appropriate medical and health care professionals, who remain solely responsible to provide and direct patient care. Be aware that the information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professionals or pharmacists, and may require governmental approvals. The owner and provider of this site disclaims and assumes no liability for any injury and/or damage to persons from use of any information contained on this site.





