Michigan Collaborative Standardization of Compounded Oral Liquids

Drug name: Bethanechol Dosage Form: Suspension

Concentration: 5 mg/ml **Shelf Life:** 60 days

Route: Oral **Storage:** Refrigerate or Room temp

Volume: 120 ml Auxiliary Labeling: Shake Well

Ingredients	QS	Quantity	Units
Bethanechol 10 mg		60	tablets
Ora-Blend or substitute Ora-Plus/Ora-Sweet	Υ	120	mLs

Directions:

- 1. Crush tablets in a mortar and pestle and triturate to a fine powder.
- 2. Add a minimal amount of vehicle and mix well to form a viscous, but smooth and uniform paste.
- 3. Continue adding vehicle in geometric portions, mixing well.
- 4. Transfer to graduate.
- 5. QS to final volume with vehicle. Stir well.

Notes:

- If using Ora-Sweet and Ora-Plus, Mix 60 mL of Ora-Sweet with 60 mL of Ora-Plus and shake well before
 use
- May substitute base with cherry syrup.

References:

Allen LV, Erickson MA. Am J Health Sys Pharm. 1998; (55): 1804-09.

Reviewed: Nov 2013; SC/ME

The information provided on this site is only to be used for educational and informational purposes only. It may not be relied upon to direct or provide care to a patient, or to prepare treatments for a patient. This material is not intended as a substitute for retaining and consulting appropriate medical and health care professionals, who remain solely responsible to provide and direct patient care. Be aware that the information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professionals or pharmacists, and may require governmental approvals. The owner and provider of this site disclaims and assumes no liability for any injury and/or damage to persons from use of any information contained on this site.





