Michigan Collaborative Standardization of Compounded Oral Liquids

Drug name: Losartan Dosage Form: Suspension

Concentration: 2.5 mg/mL **Shelf Life:** 28 days

Route: Oral **Storage:** Refrigerate

Volume: 200 mL **Auxiliary Labeling:** Shake Well

Ingredients	QS	Quantity	Units
Losartan 50 mg tablets		10	tablets
Distilled Water		10	mL
Ora-Blend SF (or 1:1 Ora-Plus:Ora-Sweet SF)	Χ	200	mL

Directions:

- 1. Place tablets into amber plastic prescription bottle.
- 2. Add distilled water.
- 3. Cap and shake mixture for two minutes.
- 4. Let stand for one hour, then shake for one more minute.
- 5. Add QS vehicle to final volume (200 mL) and shake for one minute.

Notes:

Grinding tablets is not necessary.

References:

Cozaar package insert: http://www.merck.com/product/usa/pi_circulars/c/cozaar/cozaar_pi.pdf (accessed 01May2013).

Reviewed: May 1, 2013; JR/SC

The information provided on this site is only to be used for educational and informational purposes only. It may not be relied upon to direct or provide care to a patient, or to prepare treatments for a patient. This material is not intended as a substitute for retaining and consulting appropriate medical and health care professionals, who remain solely responsible to provide and direct patient care. Be aware that the information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professionals or pharmacists, and may require governmental approvals. The owner and provider of this site disclaims and assumes no liability for any injury and/or damage to persons from use of any information contained on this site.





